

DATE: Tuesday, June 25, 2002 Printable Copy Create Case

| Set Name | Query | Hit Count | Set Name |
|--------------|--|------------------|------------|
| side by side | , | | result set |
| DB=D | WPI; PLUR=YES; OP=ADJ | | |
| <u>L5</u> | L2 and container | 1 | <u>L5</u> |
| <u>L4</u> | L2 and (barium sul\$2ate or calcium carbonate) | 0 | <u>L4</u> |
| <u>L3</u> | L2 and talc | 0 | <u>L3</u> |
| <u>L2</u> | low aspect ratio and high aspect ratio | 26 | <u>L2</u> |
| <u>L1</u> | low aspect ratio | 198 | <u>L1</u> |

| | WEST | |
|-----------|--|--------------------------------------|
| | Help Logout | Interrupt |
| | Main Menu Search Form Posting Counts Show S Numbers E | Edit S Numbers Preferences Cases |
| | Search Results - | |
| | Terms | Documents |
| P | L5 and (container or package) | 17 |
| Database: | US Patents Full-Text Database US Pre-Grant Publication Full-Text Database JPO Abstracts Database EPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins | |
| Search: | L6 | Refine Search |
| | Recall Text Clear | |
| | Search History | |
| | | |

DATE: Tuesday, June 25, 2002 Printable Copy Create Case

| Set Name side by side | | Hit Count | Set Name result set |
|--------------------------|--|-----------|------------------------|
| DB=US | SPT; PLUR=YES; OP=ADJ | | |
| <u>L6</u> | L5 and (container or package) | 17 | <u>L6</u> |
| <u>L5</u> | L4 and (calcium carbonate or barium sul\$2ate) | 18 | <u>L5</u> |
| <u>L4</u> | L3 and talc | 26 | <u>L4</u> |
| <u>L3</u> | L2 and (polyolefin or polypropylene) | 62 | <u>L3</u> |
| <u>L2</u> | L1 and aspect ratio | 92 | <u>L2</u> |
| L1 | 428/35.7 or 428/36.8 or 428/36.92 | 3334 | <u>L1</u> · |

WEST

Create A Case

| Select? | Database | Query | Plural | Op | Thesaurus | Set Name |
|---------|----------|--|--------|-----|-----------|----------|
| V | USPT | 428/35.7 or 428/36.8 or 428/36.92 | YES | ADJ | | L1 |
| v | USPT | L1 and aspect ratio | YES | ADJ | | L2 |
| v | USPT | L2 and (polyolefin or polypropylene) | YES | ADJ | | L3 |
| Ø | USPT | L3 and talc | YES | ADJ | | L4 |
| Ø | USPT | L4 and (calcium carbonate or barium sul\$2ate) | YES | ADJ | | L5 |

| | | | - |
|-----------|--------|-------------|--------|
| Clear All | Reset | Create Case | Cancel |
| Help | Main M | enu Log | out |

Rules for naming Cases

- Case names can only contain alphanumeric characters including underscore (_).
- Any other special characters or punctuation characters will be automatically removed prior to saving the case.
- All white space characters will be replaced by an underscore.

| | | WEST | . When | |
|-----------|---|--|--|-------|
| | | Help Logout Interrupt | december of the control of the contr | |
| | Main Menu | Search Form Posting Counts Show S Numbers Edit S Numbe | rs Preferences | Cases |
| | | Search Results - | | |
| | | | Documents | |
| | • | L2 and (calcium carbonate or barium sul\$2ate) | 2 | |
| Database: | US Pre-G JPO Abst EPO Abst Derwent V IBM Tech | ts Full-Text Database rant Publication Full-Text Database racts Database racts Database World Patents Index nical Disclosure Bulletins | | |
| Search: | L3 | | Refine Search | |
| | | Recall Text Clear | | |
| | | Search History | | |
| DATE: T | uesday, Ju | ne 25, 2002 Printable Copy Create Case | | |

| Set Name | Query | Hit Count | Set Name |
|--------------|--|-----------|------------|
| side by side | | | result set |
| DB=DW | VPI; PLUR=YES; OP=ADJ | | |
| <u>L3</u> | L2 and (calcium carbonate or barium sul\$2ate) | 2 | <u>L3</u> |
| <u>L2</u> | L1 and talc | 5 | <u>L2</u> |
| <u>L1</u> | high aspect ratio and filler | 54 | <u>L1</u> |

| | | WEST | | | |
|-----------------------|------------------|----------------|----------------|--|-------|
| | Help | Logout | Interrupt | ************************************** | |
| ain Menu Search For | m Posting Counts | Show S Numbers | Edit S Numbers | Preferences | Cases |

Search Results -

| Terms | Documents |
|---------------------|-----------|
| L4 and aspect ratio | 2 |

| Database: | IBM Technical Disclosure Bulletins | _ |
|-----------|---|---|
| D-4-b | IDM Technical Disclosure Bulletine | |
| | Derwent World Patents Index | |
| | EPO Abstracts Database | |
| | JPO Abstracts Database | |
| | US Pre-Grant Publication Full-Text Database | |
| | US Patents Full-Text Database | |
| | *************************************** | _ |

Search:

| L5 | Refine Search |
|-------------|---------------|
| Perall Tay) | |

Search History

DATE: Tuesday, June 25, 2002 Printable Copy Create Case

| Set Name | Query | Hit Count | Set Name |
|--------------|--|------------------|------------|
| side by side | | | result set |
| DB=US | SPT; PLUR=YES; OP=ADJ | | |
| <u>L5</u> | L4 and aspect ratio | 2 | <u>L5</u> |
| <u>L4</u> | L3 and (barium sul\$2ate or calcium carbonate) | 124 | <u>L4</u> |
| <u>L3</u> | L2 and talc | 248 | <u>L3</u> |
| <u>L2</u> | L1 and (polyolefin or polypropylene) | 6580 | <u>L2</u> |
| <u>L1</u> | 206/\$10 | 76722 | <u>L1</u> |